

160 Flush Mount Corner Guard in Designer White by Inpro

CLASSIFICATION: 10 26 00

PRODUCT DESCRIPTION: 160 Flush mount corner guard offers minimum design interruption by creating a smooth transition from wall to corner. Achieve a finished look for less than ceiling height installations with available closure caps. Easily wrap cove base around corners with optional cove base retainer.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities Considered in 3 of 3 Materials

Explanation(s) provided for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Yes Ex/SC Yes No

Screened

All substances screened using Priority Hazard Lists with results disclosed.

Yes Ex/SC Yes No

Identified

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

Yes Ex/SC Yes No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[MATERIAL](#) | [SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)

[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

ALUMINUM [ALUMINUM LT-P1 | RES | PHY | END MAGNESIUM LT-UNK | PHY SILICON LT-UNK IRON LT-P1 | END COPPER LT-UNK MANGANESE LT-P1 | END | MUL | REP CHROMIUM LT-P1 | RES | END | SKI ZINC LT-P1 | AQU | PHY | END | MUL] POLYVINYL CHLORIDE RESIN [POLYVINYL CHLORIDE (PVC) LT-P1 | RES UNDISCLOSED NoGS UNDISCLOSED BM-3 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | PBT | SKI | DEL | MAM | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | PBT | DEL | MUL UNDISCLOSED LT-P1 | END UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-P1 | END] DESIGNER WHITE PIGMENT [POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Greenguard

VOC emissions: Greenguard Gold

Multi-attribute: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2017-08-28

PUBLISHED DATE: 2019-03-11

EXPIRY DATE: 2020-08-28

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ALUMINUM

#: 74.7660

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2017-08-28

#: 99.3500 GS: LT-P1 RC: None NANO: No ROLE: Aluminum Ingredient

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: None

MAGNESIUM

ID: 7439-95-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2017-08-28

#: 0.9000 GS: LT-UNK RC: None NANO: No ROLE: Aluminum Ingredient

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: None

SILICON

ID: 7440-21-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2017-08-28

#: 0.6000 GS: LT-UNK RC: None NANO: No ROLE: Aluminum Ingredient

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	No hazards found	

SUBSTANCE NOTES: None

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2017-08-28

#: 0.3500 GS: LT-P1 RC: None NANO: No ROLE: Aluminum Ingredient

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: None

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28		
%: 0.1000	GS: LT-UNK	RC: None	NANO: No	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: None				

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28		
%: 0.1000	GS: LT-P1	RC: None	NANO: No	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B		
SUBSTANCE NOTES: None				

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28		
%: 0.1000	GS: LT-P1	RC: None	NANO: No	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
SUBSTANCE NOTES: None				

ZINC

ID: 7440-66-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28		
%: 0.1000	GS: LT-P1	RC: None	NANO: No	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life		
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SUBSTANCE NOTES: None				

POLYVINYL CHLORIDE RESIN

%: 23.3640

MATERIAL THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material	

POLYVINYL CHLORIDE (PVC)HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-28**

%: 88.7810 - 88.7810	GS: LT-P1	RC: None	NANO: No	ROLE: Profile Resin Ingredient
-----------------------------	------------------	-----------------	-----------------	---------------------------------------

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY**AOEC - Asthmagens****Asthmagen (Rs) - sensitizer-induced**SUBSTANCE NOTES: **None****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-28**

%: 7.1000	GS: NoGS	RC: None	NANO: No	ROLE: PVC additive
------------------	-----------------	-----------------	-----------------	---------------------------

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards foundSUBSTANCE NOTES: **Proprietary based on supplier information****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-28**

%: 3.3730 - 3.3730	GS: BM-3	RC: None	NANO: No	ROLE: Profile Resin Ingredient
---------------------------	-----------------	-----------------	-----------------	---------------------------------------

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards foundSUBSTANCE NOTES: **None****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-28**

%: 2.4651 - 2.4651	GS: LT-UNK	RC: None	NANO: No	ROLE: Profile Resin Ingredient
---------------------------	-------------------	-----------------	-----------------	---------------------------------------

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards foundSUBSTANCE NOTES: **None****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-28**

%: 2.2198 - 2.2198	GS: LT-UNK	RC: None	NANO: No	ROLE: Profile Resin Ingredient
---------------------------	-------------------	-----------------	-----------------	---------------------------------------

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards foundSUBSTANCE NOTES: **None****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-28**

%: 1.7754 - 1.7754	GS: LT-UNK	RC: None	NANO: No	ROLE: Profile Resin Ingredient
---------------------------	-------------------	-----------------	-----------------	---------------------------------------

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards foundSUBSTANCE NOTES: **None**

UNDISCLOSEDHAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-28**%: **1.4201 - 1.4201** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Profile Resin Ingredient**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards foundSUBSTANCE NOTES: **None****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-28**%: **0.9590 - 0.9590** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Profile Resin Ingredient**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

PBT OSPAR - Priority PBTs & EDs & equivalent concern **PBT - Chemical for Priority Action****SKIN SENSITIZE** EU - GHS (H-Statements) **H317 - May cause an allergic skin reaction****DEVELOPMENTAL** EU - GHS (H-Statements) **H361d - Suspected of damaging the unborn child****ORGAN TOXICANT** EU - GHS (H-Statements) **H372 - Causes damage to organs through prolonged or repeated exposure****MULTIPLE** German FEA - Substances Hazardous to Waters **Class 3 - Severe Hazard to Waters**SUBSTANCE NOTES: **None****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-28**%: **0.7545 - 0.7545** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Profile Resin Ingredient**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards foundSUBSTANCE NOTES: **None****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-28**%: **0.2000 - 0.2000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Stabilizer component**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

PBT OSPAR - Priority PBTs & EDs & equivalent concern **PBT - Chemical for Priority Action****DEVELOPMENTAL** EU - GHS (H-Statements) **H361d - Suspected of damaging the unborn child****MULTIPLE** German FEA - Substances Hazardous to Waters **Class 2 - Hazard to Waters**SUBSTANCE NOTES: **Component of MARK 1957 stabilizer****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-28**%: **0.1775 - 0.1775** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Profile Resin Ingredient**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

ENDOCRINE TEDX - Potential Endocrine Disruptors **Potential Endocrine Disruptor**SUBSTANCE NOTES: **None****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-28**

%: **0.1000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Stabilizer Component**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: **Not Hazardous Stabilizer component**

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2017-08-28**

%: **0.0888 - 0.0888** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Profile Resin Ingredient**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: **None**

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2017-08-28**

%: **0.0444 - 0.0444** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Profile Resin Ingredient**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: **None**

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2017-08-28**

%: **0.0178 - 0.0178** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Profile Resin Ingredient**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: **None**

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2017-08-28**

%: **0.0001 - 0.0001** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Profile Resin Ingredient**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: **None**

DESIGNER WHITE PIGMENT

%: **1.8690**

MATERIAL THRESHOLD: **100 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **Residuals and impurities were considered in this material**

OTHER MATERIAL NOTES: **None**

POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)

ID: **25640-14-6**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2017-08-28**

%: **63.5000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Pigment Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: **None**

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28		
%: 35.0800 - 35.0800	GS: LT-1	RC: None	NANO: No	ROLE: Pigment Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		

SUBSTANCE NOTES: **None**

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28		
%: 1.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Pigment Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
No hazards found				

SUBSTANCE NOTES: **None**

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28		
%: 0.1700 - 0.1700	GS: LT-UNK	RC: None	NANO: No	ROLE: Pigment Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
No hazards found				

SUBSTANCE NOTES: **None**

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28		
%: 0.1700 - 0.1700	GS: LT-P1	RC: None	NANO: No	ROLE: Pigment Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

SUBSTANCE NOTES: **None**

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28		
%: 0.0800 - 0.0800	GS: LT-UNK	RC: None	NANO: No	ROLE: Pigment Ingredient

No hazards found

SUBSTANCE NOTES: **None**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Greenguard		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2009-03-12	EXPIRY DATE: 2020-03-12	CERTIFIER OR LAB: UL Environment
APPLICABLE FACILITIES: All			
CERTIFICATE URL: https://spot.ul.com			
CERTIFICATION AND COMPLIANCE NOTES: GREENGUARD Certification Number: 6625-410 Certification Status: Certified			

VOC EMISSIONS	Greenguard Gold		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2009-03-12	EXPIRY DATE: 2020-03-12	CERTIFIER OR LAB: UL Environment
APPLICABLE FACILITIES: All			
CERTIFICATE URL: https://spot.ul.com			
CERTIFICATION AND COMPLIANCE NOTES: GREENGUARD Gold Certification Number: 6625-420 Certification Status: Certified			

MULTI-ATTRIBUTE	Environmental Product Declaration		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2013-11-08	EXPIRY DATE: 2018-11-08	CERTIFIER OR LAB: UL Environment
APPLICABLE FACILITIES: All			
CERTIFICATE URL: https://easternus.azureedge.net/~media/Inpro/TDM%20Files/Documents/Inpro/Inpro%20Corner%20Guard%20EPDIPC2288%20Rev1pdf.ashx?modified=20170414105638			

CERTIFICATION AND COMPLIANCE NOTES: "Environmental Product Declarations (EPDs) certified by UL enable manufacturers to make those disclosures in a credible, streamlined and universally understood manner. An Environmental Product Declaration is a comprehensive, internationally harmonized report created by a product manufacturer that documents the ways in which a product, throughout its lifecycle, affects the environment. UL certifies that the correct type of information is in the report. UL-certified EPDs demonstrate a manufacturer's commitment to sustainability while showcasing that manufacturer's willingness to go above and beyond -- all in the name of transparency and clarity. They also help purchasers to better understand a product's sustainable qualities and environmental repercussions. As such, certified EPDs equip manufacturers with a valuable tool for differentiation and empower customers to make more informed purchasing decisions." To learn more: <http://services.ul.com/service/environmental-product-declaration/>

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

None

MANUFACTURER INFORMATION

MANUFACTURER: **Inpro**
 ADDRESS: **S80W18766 Apollo Drive**
Muskego WI 53150, USA
 WEBSITE: **www.inprocorp.com**

CONTACT NAME: **Laura Loucks**
 TITLE: **Sustainability Specialist**
 PHONE: **2626799010**
 EMAIL: **laloucks@inprocorp.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.