# G2 BioBlend 500 Wall Guard in Designer White by Inpro

# Health Product Declaration v2.1.1

created via: HPDC Online Builder

## CLASSIFICATION: 10 26 00

**PRODUCT DESCRIPTION:** The 500 series wall guard offers continuous protection with industry exclusive inside and outside corners. target specific problem areas with a narrow profile. Non-PVC cover in manufactured with G2 BioBlend Inpro's exclusive reformulated PETG made with a corn-based biopolymer.

# Section 1: Summary

# **Nested Method / Material Threshold**

# **CONTENT INVENTORY**

#### **Inventory Reporting Format**

Nested Materials Method

C Basic Method

**Threshold Disclosed Per** 

Material
 Product

Threshold level 100 ppm 1,000 ppm Per GHS SDS Per OSHA MSDS Other

## **Residuals/Impurities**

Residuals/Impurities Considered in 4 of 4 Materials

Explanation(s) provided for Residuals/Impurities? All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

## Screened O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

# ○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals<sup>®</sup>. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

ALUMINUM [ ALUMINUM LT-P1 | RES | PHY | END HEAVY NORMAL PARAFFINS (PETROLEUM) LT-UNK SILICON LT-UNK IRON LT-P1 | END ZINC LT-P1 | AQU | PHY | END | MUL MAGNESIUM LT-UNK | PHY COPPER LT-UNK MANGANESE LT-P1 | END | MUL | REP TIN LT-UNK BISMUTH LT-UNK ] G2 BIOBLEND RESIN [ POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED NoGS UNDISCLOSED NoGS ] FIRE RETARDANT [ UNDISCLOSED NoGS UNDISCLOSED BM-1 ] G2 DESIGNER WHITE PIGMENT [ POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-UNK ]

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES: None

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Greenguard Gold Multi-attribute: Environmental Product Declaration

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2019-07-23 PUBLISHED DATE: 2019-07-23 EXPIRY DATE: 2022-07-23 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

• Basic Inventory method with Product-level threshold.

- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

	RIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes					
ESIDUALS AND IMPURITIES NOTES: ${f R}$	esiduals and impurities were cons	idered in thi	s material			
THER MATERIAL NOTES: None						
ALUMINUM				ID: <b>7429-9</b>		
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREE	INING DATE: 2019	9-07-23		
%: 99.40 - 99.40	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	ROLE: Aluminum Ingredient		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS			
RESPIRATORY	AOEC - Asthmagens	Asthr	nagen (Rs) - sen	sitizer-induced		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228	- Flammable so	lid		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250	- Catches fire s	pontaneously if exposed to air		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261	- In contact wit	h water releases flammable gases		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Poter	ntial Endocrine I	Disruptor		
SUBSTANCE NOTES: None						
SUBSTANCE NOTES: None	PETROLEUM)			ID: <b>64771-7</b>		
		HAZARD SCRE	ENING DATE: <b>201</b>			
HEAVY NORMAL PARAFFINS (P		HAZARD SCRE RC: <b>None</b>	ENING DATE: <b>201</b> NANO: <b>NO</b>			
HEAVY NORMAL PARAFFINS (P HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library		NANO: <b>NO</b>	9-07-23		
HEAVY NORMAL PARAFFINS (P HAZARD SCREENING METHOD: Pharos %: 1.00 - 1.00	Chemical and Materials Library GS: LT-UNK	RC: None	NANO: <b>NO</b>	9-07-23		
HEAVY NORMAL PARAFFINS (P HAZARD SCREENING METHOD: Pharos %: 1.00 - 1.00 HAZARD TYPE	Chemical and Materials Library GS: LT-UNK	RC: None	NANO: <b>NO</b>	9-07-23 ROLE: Aluminum ingredient		

HAZARD SCREENING METHOD: Pharos (	Chemical and Materials Library	HAZARD SCREENING DATE: 2019-07-23			9-07-23
%: 1.00 - 1.00	GS: LT-UNK	RC: Non	ne	NANO: <b>NO</b>	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	W	VARNING	6	
None found				No warnin	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None					
IRON					ID: <b>7439-89-6</b>
HAZARD SCREENING METHOD: Pharos (	Chemical and Materials Library	HAZARD S	GCREENI	NG DATE: 2019	-07-23
%: 1.00 - 1.00	GS: <b>LT-P1</b>	RC: Non	е	NANO: <b>No</b>	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	W	VARNING	6	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	P	Potentia	al Endocrine D	isruptor
SUBSTANCE NOTES: None					
I					
ZINC					ID: <b>7440-66-6</b>
HAZARD SCREENING METHOD: Pharos (	Chemical and Materials Library	HAZARD S	SCREENI	NG DATE: 2019	-07-23
%: 1.00 - 1.00	GS: <b>LT-P1</b>	RC: Non	e	NANO: <b>NO</b>	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNING	5	
ACUTE AQUATIC	EU - GHS (H-Statements)	F	1400 - \	Very toxic to a	quatic life
CHRON AQUATIC	EU - GHS (H-Statements)	F	H410 - V	Very toxic to a	quatic life with long lasting effects
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	F	1250 - (	Catches fire sp	oontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)			n contact with nay ignite spor	water releases flammable gases ttaneously
ENDOCRINE	TEDX - Potential Endocrine Disruptors	F	Potentia	al Endocrine D	isruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	C	Class 2	- Hazard to W	aters
SUBSTANCE NOTES: None					
MAGNESIUM					ID: <b>7439-95-4</b>
HAZARD SCREENING METHOD: Pharos (	Chemical and Materials Library	HAZARD S	SCREEN	ING DATE: 2019	9-07-23
%: <b>1.00 - 1.00</b>	GS: LT-UNK	RC: Non	e	NANO: <b>No</b>	ROLE: Aluminum Ingredient

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously
SUBSTANCE NOTES: None		
COPPER		ID: <b>7440-50</b>
HAZARD SCREENING METHOD: Pharo	s Chemical and Materials Library	HAZARD SCREENING DATE: 2019-07-23
%: 0.30 - 0.30	GS: LT-UNK	RC: None NANO: No ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None		
MANGANESE		ID: <b>7439-96</b>
HAZARD SCREENING METHOD: Pharo	s Chemical and Materials Library	HAZARD SCREENING DATE: 2019-07-23
%: 0.20 - 0.20	GS: <b>LT-P1</b>	RC: None NANO: No ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B
SUBSTANCE NOTES: None		
TIN		ID: <b>7440-31</b>
HAZARD SCREENING METHOD: Pharo	s Chemical and Materials Library	HAZARD SCREENING DATE: 2019-07-23
%: <b>0.10</b>	GS: LT-UNK	RC: None NANO: No ROLE: Aluminum ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None		

BISMUTH					ID: <b>7440-69-9</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2019-07-23		
%: <b>0.10</b>	GS: LT-UNK		RC: None	NANO: <b>NO</b>	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings t	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None					
G2 BIOBLEND RESIN		%: 34.44			

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

AZARD SCREENING METHOD: Pha	HAZARD SCREEN	HAZARD SCREENING DATE: 2019-07-23			
5: <b>72.00 - 72.00</b>	GS: NOGS	RC: None	NANO: <b>NO</b>	ROLE: Resin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings	s found on HPD Priority Hazard List	
SUBSTANCE NOTES: None					
INDISCLOSED					
AZARD SCREENING METHOD: Pha	ros Chemical and Materials Librar	Y HAZARD SCREEN	NING DATE: 2019	-07-23	
a: <b>14.90 - 14.90</b>	GS: NoGS	RC: None	NANO: <b>NO</b>	ROLE: Resin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings	s found on HPD Priority Hazard List	
SUBSTANCE NOTES: None					
	ros Chemical and Materials Librar		NING DATE: <b>2019</b>	1-07-23	
AZARD SCREENING METHOD. Tha			NANO: NO	ROLE: Resin Ingredient	
. 13 00 - 13 00	GS NOGS	BC: None		noll. noon ingrouient	
a: <b>13.00 - 13.00</b>	gs: <b>NoGS</b>	RC: None		-	
HAZARD TYPE	GS: NOGS	RC: <b>None</b>			
				s found on HPD Priority Hazard List	
HAZARD TYPE	AGENCY AND LIST TITLES				
HAZARD TYPE	AGENCY AND LIST TITLES				
HAZARD TYPE	AGENCY AND LIST TITLES				
HAZARD TYPE	AGENCY AND LIST TITLES				
HAZARD TYPE	AGENCY AND LIST TITLES				
HAZARD TYPE	AGENCY AND LIST TITLES				
HAZARD TYPE None found SUBSTANCE NOTES: Resin ingre	agency AND LIST TITLES	WARNINGS	No warnings	s found on HPD Priority Hazard List	
HAZARD TYPE None found SUBSTANCE NOTES: Resin ingre	agency AND LIST TITLES	4.25	No warnings	s found on HPD Priority Hazard List	

UNDISCLOSED						
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	ZARD SCREENING DATE: 2019-07-23			
%: 90.00 - 90.00	GS: NoGS	RC: None	NANO: <b>No</b>	ROLE: Fire Retardant Ingredient		
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS			
None found			No war	nings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Propri	ietary based on supplier information.					
JNDISCLOSED						
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	ING DATE: 201	9-07-23		
%: 25.00 - 25.00	GS: <b>BM-1</b>	RC: None	NANO: <b>No</b>	ROLE: Fire Retardant Ingredient		
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS			
None found			No war	nings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Propri	ietary based on supplier information.					
2 DESIGNER WHITE		5 <b>: 1.70 - 1.70</b>	JRITIES CONSIL	DERED: Yes		
ATERIAL THRESHOLD: 100		ESIDUALS AND IMPU		DERED: <b>Yes</b>		
TERIAL THRESHOLD: 100	ppm RE	ESIDUALS AND IMPU		Dered: <b>Yes</b>		
TERIAL THRESHOLD: 100 SIDUALS AND IMPURITIES N HER MATERIAL NOTES: NC	ppm RE	ESIDUALS AND IMPU		DERED: Yes		
TERIAL THRESHOLD: 100 SIDUALS AND IMPURITIES N HER MATERIAL NOTES: NC POLYETHYLENE TEREF	ppm RE NOTES: Residuals and impurities were co	ESIDUALS AND IMPL	is material			
TERIAL THRESHOLD: 100 SIDUALS AND IMPURITIES N HER MATERIAL NOTES: NC POLYETHYLENE TEREF	ppm RE NOTES: Residuals and impurities were co one PHTHALATE GLYCOL (PETG)	ESIDUALS AND IMPL	is material	D: Undisclosed		
TERIAL THRESHOLD: 100 SIDUALS AND IMPURITIES N HER MATERIAL NOTES: NC POLYETHYLENE TEREF	ppm RE NOTES: Residuals and impurities were co one PHTHALATE GLYCOL (PETG) Pharos Chemical and Materials Library	ESIDUALS AND IMPU Dinsidered in th HAZARD S	is material CREENING DATE e NANO: I	D: Undisclosed 2019-07-23		
TERIAL THRESHOLD: 100 SIDUALS AND IMPURITIES N HER MATERIAL NOTES: NC POLYETHYLENE TEREF HAZARD SCREENING METHOD: %: 63.50	ppm RE notes: Residuals and impurities were co one PHTHALATE GLYCOL (PETG) Pharos Chemical and Materials Library GS: NoGS	ESIDUALS AND IMPL Densidered in th HAZARD S RC: None	IS MATERIA	D: Undisclosed 2019-07-23		
TERIAL THRESHOLD: 100 SIDUALS AND IMPURITIES N HER MATERIAL NOTES: NC POLYETHYLENE TEREF HAZARD SCREENING METHOD: %: 63.50 HAZARD TYPE None found	ppm RE notes: Residuals and impurities were co one PHTHALATE GLYCOL (PETG) Pharos Chemical and Materials Library GS: NoGS	ESIDUALS AND IMPL Densidered in th HAZARD S RC: None	IS MATERIA	ID: Undisclosed : 2019-07-23 No ROLE: Pigment ingredient		
ATERIAL THRESHOLD: 100 SIDUALS AND IMPURITIES N HER MATERIAL NOTES: NC POLYETHYLENE TEREF HAZARD SCREENING METHOD: %: 63.50 HAZARD TYPE None found	ppm RE notes: Residuals and impurities were co one PHTHALATE GLYCOL (PETG) Pharos Chemical and Materials Library GS: NoGS AGENCY AND LIST TITLES	ESIDUALS AND IMPL Densidered in th HAZARD S RC: None	IS MATERIA	ID: Undisclosed : 2019-07-23 No ROLE: Pigment ingredient		
TERIAL THRESHOLD: 100 SIDUALS AND IMPURITIES N HER MATERIAL NOTES: NC POLYETHYLENE TEREF HAZARD SCREENING METHOD: %: 63.50 HAZARD TYPE None found	ppm RE notes: Residuals and impurities were co one PHTHALATE GLYCOL (PETG) Pharos Chemical and Materials Library GS: NoGS AGENCY AND LIST TITLES	ESIDUALS AND IMPL Densidered in th HAZARD S RC: None	IS MATERIA	ID: Undisclosed : 2019-07-23 No ROLE: Pigment ingredient		
TERIAL THRESHOLD: 100 SIDUALS AND IMPURITIES N HER MATERIAL NOTES: NC POLYETHYLENE TEREF HAZARD SCREENING METHOD: %: 63.50 HAZARD TYPE None found SUBSTANCE NOTES: Residu	ppm RE notes: Residuals and impurities were co one PHTHALATE GLYCOL (PETG) Pharos Chemical and Materials Library GS: NoGS AGENCY AND LIST TITLES	ESIDUALS AND IMPL onsidered in th HAZARD S RC: Non WARN	IS MATERIA	ID: Undisclosed 2019-07-23 No ROLE: Pigment ingredient nings found on HPD Priority Hazard Lists		

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low
		risk under MAK/BAT levels

SUBSTANCE NOTES: None

# UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	HAZARD SCREENING DATE: 2019-07-23		
%: <b>1.00</b>	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Pigment ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings fo	ound on HPD Priority Hazard Lists	

SUBSTANCE NOTES: None

# UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	HAZARD SCREENING DATE: 2019-07-23		
%: <b>0.20</b>	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Pigment ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings fo	ound on HPD Priority Hazard List	
SUBSTANCE NOTES: None					
UNDISCLOSED					
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-07-23			
%: <b>0.20</b> GS: <b>LT-P1</b>		RC: None	NANO: <b>NO</b>	ROLE: Pigment ingredient	

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS MULTIPLE German FEA - Substances Hazardous to Class 2 - Hazard to Waters Waters SUBSTANCE NOTES: None UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-07-23 %: **0.10** GS: LT-UNK ROLE: Pigment ingredient RC: None NANO: **NO** HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Greenguard Gold		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: https://spot.ul.com/	ISSUE DATE: 2009- 03-12	EXPIRY DATE: 2020-03-12	CERTIFIER OR LAB: UL Environment

CERTIFICATION AND COMPLIANCE NOTES: GREENGUARD Gold Certification Number: 6625-420 Certification Status: Certified

MULTI-ATTRIBUTE	Environmental Pro	Environmental Product Declaration			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: AII	ISSUE DATE: 2013- 11-08	EXPIRY DATE: 2019- 09-30	CERTIFIER OR LAB: UL Environment		
CERTIFICATE URL: https://spot.ul.com/	11 00		Livioninent		

CERTIFICATION AND COMPLIANCE NOTES: "Environmental Product Declarations (EPDs) certified by UL enable manufacturers to make those disclosures in a credible, streamlined and universally understood manner. An Environmental Product Declaration is a comprehensive, internationally harmonized report created by a product manufacturer that documents the ways in which a product, throughout its lifecycle, affects the environment. UL certifies that the correct type of information is in the report. UL-certified EPDs demonstrate a manufacturer's commitment to sustainability while showcasing that manufacturer's willingness to go above and beyond -- all in the name of transparency and clarity. They also help purchasers to better understand a product's sustainable qualities and environmental repercussions. As such, certified EPDs equip manufacturers with a valuable tool for differentiation and empower customers to make more informed purchasing decisions." To learn more: http://services.ul.com/service/environmental-product-declaration/

# 🛨 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

None

# MANUFACTURER INFORMATION

MANUFACTURER: Inpro ADDRESS: S80W18766 Apollo Drive Muskego WI 53150, USA WEBSITE: www.inprocorp.com CONTACT NAME: Laura Loucks TITLE: Sustainability Specialist PHONE: 262-679-9010 EMAIL: laloucks@inprocorp.com

# KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

**MUL** Multiple hazards

**OZO** Ozone depletion

**NEU** Neurotoxicity

MAM Mammalian/systemic/organ toxicity

**PBT** Persistent Bioaccumulative Toxic

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

# Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

**PHY** Physical Hazard (reactive)

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

NF Not found on Priority Hazard Lists

**REP** Reproductive toxicity

LAN Land Toxicity