Wall Guards



Architectural Products

They're not just Door + Wall protection products.

They're ding diminishers.

They're like bouncers, but for walls and doors. They're busy preventing constant damage while keeping up appearances all to preserve the look of building interiors. It's a tough job, but we're the ones who make it happen.



Why Inpro®

04 Why Inpro®

Wall Guards

- 08 Selection Guide
- 10 2500 Chair Rail
- 10 500
- 11 700, 1300, 1400, 1500, 1600, 1800
- 12 30SS/31SS
- 12 50 Series
- 13 NuTree®

3



why inpro.

Our foundation was built on Door and Wall protection - so we know the industry inside and out. Our in-house experts are here to guide you through the selection process so you're sure to get the right products for your next project.

unmatched protection

When it comes to wall protection, we believe in giving you options for material choices. We'll never sacrifice durability. Our products are designed to stand the test of time.

low maintenance

saving you time and money

Our products may look high maintenance ... but don't let good looks fool you. Our products are long-lasting and easy to clean, saving you time and money on maintenance and repairs.

design forward

We're always adding new designs, colors and finishes to our product portfolio. Visit our Design Center on inpro.com for new ideas and inspiration to refresh your space!



Holiday Inn | Steven's Point, WI 500 Wall Guards



				1400	1500	1600	700	1800
Page Number	10	10	11	11	11	11	11	11
Cost Index*	\$	\$	\$\$	\$	\$	\$\$	\$\$	\$\$
Colors	Solid Colors Woodlands™	Solid Colors	Solid Colors	Solid Colors Woodlands™				
Height	2"	3"	4 1⁄16"	4"	5"	6"	7 ¾"	8"
Wall Distance	1"	1"	1 1⁄8"	1"	1"	1"	1"	1"
Retainer Options*	Continuous	Continuous	Continuous	Continuous Abbreviated	Continuous Abbreviated	Continuous Abbreviated	Continuous Abbreviated	Continuous Abbreviated
Material Options	Rigid Vinyl G2 BioBlend**							
For Sale Online	♥	•	•		I			
Up to 75% Recycled Material								

*Price information given is based on a range for product price only, with \$ representing the most economical choice and \$\$\$\$ representing the most premium choice when comparing products of equal materials, finishes and options. Other cost considerations like shipping, taxes, minimum order charges, etc. are not accounted for in this range.

**G2 BioBlend[®] available in Solid Colors only.

obsessed with protecting buildings™

8

retainer options



Abbreviated (shown left):

wall guard selection guide



3055/3155	50 Series	NuTree®
12	12	13
\$\$\$	\$\$\$-\$\$\$\$	\$\$
		Black, Weather Wood, Dove Gray, Sandstone
5 1⁄2"	2"-6"	51⁄2" - 91⁄2"
1 1⁄2"	3 1⁄4" -3 5⁄16"	



Retainer Options

Reduces cost of having a full retainer; easier to install in short runs.

Continuous: Provides consistent and complete coverage of wall. Standard on all vinyl wall guards.







. (25mm)

2500 Chair Rail

Height: 2" Material: Rigid Vinyl or G2 BioBlend® Colors: Solid, Woodlands™ Part Numbers: 2500 - Cover + aluminum retainer, 12' length 2501 - End Cap 2502 - Outside Corner 2503 - Inside Corner 2504 - Picture Frame Corner (Solid Colors Only) NOTE: Add prefix "G2" for G2 BioBlend®. Add suffix "W" for Woodlands.






(25mm)

2600 Chair Rail

Height: 3" Material: Rigid Vinyl or G2 BioBlend® Colors: Solid Part Numbers: 2600 - Cover + aluminum retainer, 12' length 2601L - Left End Cap 2601R - Right End Cap 2602 - Outside Corner 2603 - Inside Corner NOTE: Add prefix "G2" for G2 BioBlend®.



1300 Wall Guard

1500 Wall Guard

Height: 4 1/16" Material: Rigid Vinyl or G2 BioBlend® Colors: Solid Part Numbers: 1300 - Cover, aluminum retainer + bumper, 12' length 1302 - End Cap 1303 - Outside Corner 1307 - Inside Corner 501 - Optional ½" thick x 2" dia. rubber spacer NOTE: Add prefix "G2" for G2 BioBlend®.



(25mm)

(76mm)

2700 Chair Rail

Height: 3" Material: Rigid Vinyl or G2 BioBlend® Colors: Solid, Woodlands™ Part Numbers: 2700 - Cover + aluminum retainer, 12' length 2701L - Left End Cap 2701R - Right End Cap 2702 - Outside Corner 2703 - Inside Corner (Solid Colors Only) NOTE: Add prefix "G2" for G2 BioBlend®. Add suffix "W" for Woodlands.



D

11⁄8"

(29mm)

11⁄8" (29mm)

200 Wall Guard

Height: 11/8" Material: Rigid Vinyl or G2 BioBlend® Colors: Solid Part Numbers: 200 - Cover + aluminum retainer, 12' length 201 - End Cap 202 - Outside Corner 202135 - 135° Outside Corner 207 - Inside Corner NOTE: Add prefix "G2" for G2 BioBlend®.



Height: 5" Material: Rigid Vinyl or G2 BioBlend® Colors: Solid, Woodlands™ Retainer Options: Continuous or Abbreviated Part Numbers: 1500 - Cover, aluminum retainer + bumper, 12' length 1501L - Left End Cap 1501R - Right End Cap 1502 - Outside Corner 1503 - Inside Corner 1601 - Optional ½" thick 4" oval rubber spacer NOTE: Add prefix "G2" for G2 BioBlend®. Add suffix "W" for Woodlands. Add suffix "I" for Abbreviated Retainer.



500 Wall Guard

Height: 3" Material: Rigid Vinyl or G2 BioBlend® Colors: Solid Part Numbers: 500 - Cover + aluminum retainer, 12' length 502 - End Cap 503 - Outside Corner 507 - Inside Corner 501 - Optional ½" thick 2" dia. rubber spacer NOTE: Add prefix "G2" for G2 BioBlend®.

. (25mm)

10





Cart Guard

Height: 1" or 2" Material: Flexible Vinvl Colors: Stock colors - Beige, Blue, Gray, Red, Black Part Numbers: 1″ High MB10 - 1" Mounting Base - 6' or 12' sections

MT15FX - 1" Flexible Top - 72' roll ME10 - Snap-on End Cap MC10 - Snap-on Outside Corner 2″ High

MB20 - 2" Mounting Base - 6' or 12' sections MT25FX - 2" Flexible Top- 72' roll ME20 - Snap-on End Cap MC20 - Snap-on Outside Corner



7¾" (197mm)

(25mm)

700 Wall Guard

Height: 7¾" Material: Rigid Vinyl or G2 BioBlend® Colors: Solid, Woodlands™ Retainer Options: Continuous or Abbreviated Part Numbers: 700 - Cover, aluminum retainer + bumper, 12' length 701 - End Cap 702 - Outside Corner 707 - Inside Corner (Solid Colors Only) 706A - Optional Aluminum Splice 1601 - Optional ½" thick 4" oval rubber spacer NOTE: Add prefix "G2" for G2 BioBlend®. Add suffix "W" for Woodlands. Add suffix "I" for Abbreviated Retainer.



1400 Wall Guard

Height: 4" Material: Rigid Vinyl or G2 BioBlend® Colors: Solid, Woodlands™ Retainer Options: Continuous or Abbreviated Part Numbers: 1400 - Cover, aluminum retainer + bumper, 12' length 1402 - End Cap 1403 - Outside Corner 1407 - Inside Corner 501 - Optional ½" thick x 2" dia. rubber spacer NOTE: Add prefix "G2" for G2 BioBlend®. Add suffix "W" for Woodlands. Add suffix "I" for Abbreviated Retainer.



. (25mm)

1600 Wall Guard

Height: 6" Material: Rigid Vinyl or G2 BioBlend® Colors: Solid, Woodlands™ Retainer Options: Continuous or Abbreviated Part Numbers: 1600 - Cover, aluminum retainer + bumper, 12' length 1622 - End Cap 1623 - Outside Corner 1627 - Inside Corner 1606A - Optional Aluminum Splice 1601 - Optional ½" thick 4" oval rubber spacer NOTE: Add prefix "G2" for G2 BioBlend®. Add suffix "W" for Woodlands. Add suffix "I" for Abbreviated Retainer.



1800 Wall Guard

Height: 8" Material: Rigid Vinyl or G2 BioBlend® Colors: Solid, Woodlands™ Retainer Options: Continuous or Abbreviated Part Numbers 1800 - Cover, aluminum retainer + bumper, 12' length 1801L - Left End Cap 1801R - Right End Cap 1802 - Outside Corner 1803 - Inside Corner 706A - Optional Aluminum Splice 1601 - Optional 1/2" thick 4" oval rubber spacer NOTE: Add prefix "G2" for G2 BioBlend®. Add suffix "W" for Woodlands. Add suffix "I" for Abbreviated Retainer.



5½" (140mm) 1½" (38mm)

30SS Wall Guard

Height: 51%" Material: Stainless Steel, Type 430 and Type 304 alloy Part Numbers: 30SS - 51%" High Stainless Steel Wall Guard 30SSLEC - Stainless Steel Left End Cap 30SSRS - Stainless Steel Retainer Support NOTE: Contains up to 75% postconsumer recycled material. Factory pre-cut sections fabricated to field measurements. Non-returnable.





(38mm)

31SS Wall Guard

Height: 51/2" Material: Stainless Steel, Type 304 alloy Part Numbers: 31SS - 51/2" High Stainless Steel Wall Guard 31SSLEC - Stainless Steel Left End Cap 31SSREC - Stainless Steel Retainer Support NOTE: Contains up to 75% postconsumer recycled material. Factory pre-cut sections fabricated to field measurements. Non-returnable.





56SSF - 4" High Stainless Steel Wall Guard 56SSB - 6" High Stainless Steel Wall Guard 56SSFLR - Stainless Steel Left Return 56SSFOC - Stainless Steel Right Return 56SSFOC - Stainless Steel Outside Corner 56SSFIC - Stainless Steel Inside Corner 51SSBK - Stainless Steel Bracket NOTE: Contains up to 75% postconsumer recycled material. Factory pre-cut sections fabricated to field measurements. Non-returnable.

Material: Stainless Steel, Type 304 alloy



50SS Wall Guard

Height: 4" Material: Stainless Steel, Type 304 alloy Part Numbers: 50SS/50SSH - 4" High Stainless Steel Wall Guard 50SSLR - Stainless Steel Left Return 50SSRR - Stainless Steel Right Return

50SSOC - Stainless Steel Outside Corner 50SSIC - Stainless Steel Inside Corner 50SSBK - Aluminum Bracket 50SSHBK - Aluminum Bracket NOTE: Contains up to 75% postconsumer recycled material. Factory pre-cut sections fabricated to field measurements. Non-returnable.





51SS Wall Guard

Height: 4" Material: Stainless Steel, Type 304 alloy Part Numbers:

51SS - 4" High Stainless Steel Wall Guard 51SSLR - Stainless Steel Left Return 51SSRR - Stainless Steel Right Return 51SSOC - Stainless Steel Outside Corner 51SSIC - Stainless Steel Inside Corner 51SSBK - Aluminum Bracket NOTE: Contains up to 75% postconsumer recycled material. Factory pre-cut sections fabricated to field measurements. Non-returnable.

(85mm)


Clear Wall Guard

56SS Wall Guard

Height: 4" or 6"

Part Numbers:

Height: 3" or 4" Material: Clear PETG Part Numbers: 83 - 3" x 8' Wall Guard 84 - 4" x 8' Wall Guard Installation: Apply with plastic anchors and chrome plated screws. Comes with pre-drilled mounting holes.



102mm)

52SS Wall Guard Height: 2" Material: Stainless Steel, Type 304 alloy Part Numbers: 52SS - 2" High Stainless Steel Wall Guar

52SS - 2" High Stainless Steel Wall Guard 52SSLR - Stainless Steel Left Return 52SSRR - Stainless Steel Right Return 52SSIC - Stainless Steel Outside Corner 52SSIC - Stainless Steel Inside Corner 52SSBK - Stainless Steel Bracket NOTE: Contains up to 75% postconsumer recycled material. Factory pre-cut sections fabricated to field measurements. Non-returnable.



31⁄4"

(82mm)

53SS Wall Guard

Height: 3" Material: Stainless Steel, Type 304 alloy Part Numbers: 53SS - 3" High Stainless Steel Wall Guard 53SSRR - Stainless Steel Right Return 53SSLR - Stainless Steel Left Return

53SSLR - Stainless Steel Left Return 53SSIC - Stainless Steel Inside Corner 53SSOC - Stainless Steel Outside Corner 52SSBK - Stainless Steel Bracket NOTE: Contains up to 75% postconsumer recycled material. Factory pre-cut sections fabricated to field measurements. Non-returnable.



(19mm)


CR12 Chair Rail

Height: 5½" Material: Bamboo-Natural or Carbonized, Red Oak, Maple, Ash or Unfinished Poplar Colors: Northern Hardwoods®, Solid (insert), Woodlands™ (insert), Elements™ (insert) Visit inpro.com to see all of our real wood Chair Rails. Northern Hardwoods® Chair Rails are custom products and not returnable.





12




50AA Wall Guard

Height: 4" Material: Aluminum Part Numbers: 50AA - 4" High Aluminum Wall Guard, 12' 50AALR - Aluminum Left Return 50AARR - Aluminum Right Return 50AAIC - Aluminum Outside Corner 50AAOC - Aluminum Outside Corner 50AABK - Aluminum Bracket NOTE: Contains up to 75% postconsumer recycled material. Material field cut on-site.



NuTree® Wall Guard

Thickness: $\frac{1}{2}$ " - 1 $\frac{1}{2}$ " Height: 5 $\frac{1}{2}$ " - 9 $\frac{1}{2}$ " Material: High Density Polyethylene (HDPE) Colors: Stock Colors - Black, Weather Wood, Dove Gray, Sandstone Part Numbers: NT - 140, $\frac{1}{2}$ " Thick x 8" High x 12' L NT - 518, 1" Thick x 5 $\frac{1}{2}$ " High x 12' L NT - 690, 1 $\frac{1}{2}$ " Thick x 5 $\frac{1}{2}$ " High x 12' L NT - 690, 1 $\frac{1}{2}$ " Thick x 5 $\frac{1}{2}$ " High x 12' L NT - 690, 1 $\frac{1}{2}$ " Thick x 7 $\frac{1}{2}$ " High x 12' L NT - 695, 1 $\frac{1}{2}$ " Thick x 9 $\frac{1}{2}$ " High x 12' L NOTE: Lead times may vary. Custom sizes, shapes and colors available with minimums. Hardware provided by others.



Palladium[®] Rubrail

Height: 4" - 24" Thickness: .040" or .060" Material: Rigid Vinyl or G2 BioBlend® Colors: Solid, Woodlands™, Elements™ (Rigid Vinyl only) Part Numbers: R4 - .040" Thick, 4" to 24" High x 96" Long R6 - .060" Thick, 4" to 24" High x 96" Long R6 - .060" Thick, 4" to 24" High x 96" Long Installation: Affix with 3M™ Fastbond 30, Inpro® Bond Adhesive. NOTE: Add prefix "G2" for G2 BioBlend®. Add suffix "W" for Woodlands™ or suffix "E" for Elements™. Rubrails are custom products and are not returnable.

inpro.

obsessed with protecting buildings*

How they look. How they function. And how they protect the health and safety of the people who use them every day.

That's why we make hundreds of architectural products all under one roof and work tirelessly to make sure you and your buildings succeed.

Yeah, we are obsessed. But we wouldn't have it any other way.

inpro.com



World Headquarters S80 W18766 Apollo Drive Muskego, WI 53150 USA

IPC® Door + Wall Protection Ascend® Elevator Interiors Juniper® Commercial Window Treatments Clickeze® Privacy Systems Endurant® Washroom Systems SignScape® Architectural Signage JointMaster® Expansion Joint Systems

©2020 Inpro Corporation

