CG-20 Corner Guard by pawling corporation

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 10 26 00

PRODUCT DESCRIPTION: This 90° corner guard offers protection in an array of colors. Custom corner angles can also be

accommodated.



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 1,000 ppm
- Per GHS SDS C Per OSHA MSDS
- C Other

Residuals/Impurities

Residuals/Impurities Considered in 0 of 3 Materials

Explanation(s) provided for Residuals/Impurities?

Yes O No

All Substances Above the Threshold Indicated Are:

C Yes Ex/SC © Yes C No Characterized

% weight and role provided for all substances.

C Yes Ex/SC • Yes C No Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ○ Yes ○ No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ALUMINIM [ALUMINUM LT-P1 | RES | PHY | END MAGNESIUM LT-UNK | PHY SILICON LT-UNK IRON LT-P1 | END MANGANESE LT-P1 | END | MUL | REP CHROMIUM LT-P1 | RES | END | SKI ZINC LT-P1 | AQU | PHY | END | MUL] POLYVINYL CHLORIDE RESIN [2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH ETHYL 2-PROPENOATE LT-UNK WHITE MINERAL OIL LT-UNK PARAFFIN LT-UNK DIMETHYLTIN BIS(2-ETHY1HEXYL MERCAPTOACETATE) LT-1 | PBT | SKI | DEL | MAM | MUL HYDROGENATED TALLOW GLYCERIDES LT-UNK STEARIC ACID LT-P1 END FATTY ACIDS, TALLOW, HYDROGENATD, POTASSIUM SALTS LT-UNK GLYCERIN LT-UNK (C14-C18) ALKYLCARBOXYLIC ACID NoGS VITAMIN E LT-P1 | END] WHITE PIGMENT [TITANIUM DIOXIDE LT-1 | CAN | END POLYVINYL CHLORIDE (PVC) LT-P1 | RES CALCIUM STEARATE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-04-01 PUBLISHED DATE: 2019-04-01 EXPIRY DATE: 2022-04-01



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ALUMINIM %: 50.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Not Considered. Contact factory

OTHER MATERIAL NOTES:

ALUMINUM				ID: 7429-90-5
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREE	ENING DATE: 201	9-04-01
%: 99.3500	GS: LT-P1	RC: None	NANO: No	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250	- Catches fire s	pontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261	- In contact with	h water releases flammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Poten	tial Endocrine [Disruptor

MAGNESIUM		ID: 7439-9 5
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREENING DATE: 2019-04-01
%: 0.9000	GS: LT-UNK	RC: None NANO: No ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: None

SUBSTANCE NOTES: None

SILICON ID: 7440-21-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-04-01		
%: 0.6000	GS: LT-UNK	RC: None	nano: No	ROLE: Aluminum Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	WARNINGS		
	No hazards found				
SUBSTANCE NOTES: None					

IRON ID: 7439-89-6 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-04-01 %: **0.3500** GS: LT-P1 RC: None **ROLE: Aluminum Ingredient** NANO: No HAZARD TYPE AGENCY AND LIST TITLES WARNINGS **ENDOCRINE TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor SUBSTANCE NOTES: None

MANGANESE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-01

%: **0.1000** GS: LT-P1 RC: None NANO: **No ROLE: Aluminum Ingredient** HAZARD TYPE AGENCY AND LIST TITLES WARNINGS **ENDOCRINE TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor **MULTIPLE** German FEA - Substances Hazardous to Class 2 - Hazard to Waters Waters REPRODUCTIVE Japan - GHS Toxic to reproduction - Category 1B

SUBSTANCE NOTES: None

CHROMIUM ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-01

MEDIANO SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-01

MEDIANO SCREENING DATE: 2019-04-01

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: None

ZINC				ID: 7440-66-6
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCF	REENING DATE: 20	19-04-01
%: 0.1000	GS: LT-P1	RC: None	NANO: No	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
ACUTE AQUATIC	EU - GHS (H-Statements)	H400) - Very toxic to a	aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410) - Very toxic to a	aquatic life with long lasting effects
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250) - Catches fire s	pontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)) - In contact with th may ignite spo	h water releases flammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Pote	ntial Endocrine [Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Clas	s 2 - Hazard to V	Vaters

SUBSTANCE NOTES: None

POLYVINYL CHLORIDE RESIN

%: 43.1000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Not Considered. Contact factory

OTHER MATERIAL NOTES:

2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH ETHYL 2-PROPENOATE

ID: 9010-88-2

HAZARD SCREENING METHOD	e: Pharos Chemical and Materials Library	HAZARD SO	CREENING DA	TE: 2019-04-01
%: 2.4651	GS: LT-UNK	RC: None	NANO: No	ROLE: Profile Resin Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

WHITE MINERAL OIL ID: 8042-47-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

METHOD: No No. No. No. Role: Profile Resin Ingredient

Mo hazards found

Mo hazards found

HAZARD SCREENING METHOD: F	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-04-01		
%: 1.4201	GS: LT-UNK	RC: None NANO: No	ROLE: Profile Resin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: None

SUBSTANCE NOTES: None

PARAFFIN

DIMETHYLTIN BIS(2-ETHY1HEXYL MERCAPTOACETATE)

ID: 57583-35-4

ID: 8002-74-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-04-01			19-04-01
%: 0.9590	GS: LT-1	RC: No	ne	nano: No	ROLE: Profile Resin Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES		WARNI	NGS	
РВТ	OSPAR - Priority PBTs & EDs & equiv concern	/alent	PBT ·	- Chemical for	Priority Action
SKIN SENSITIZE	EU - GHS (H-Statements)		H317	- May cause a	an allergic skin reaction
DEVELOPMENTAL	EU - GHS (H-Statements)	EU - GHS (H-Statements) H361d - Susp		d - Suspected	of damaging the unborn child
ORGAN TOXICANT	EU - GHS (H-Statements)			- Causes dam ated exposure	nage to organs through prolonged or
MULTIPLE	German FEA - Substances Hazardous Waters	s to	Class	s 3 - Severe Ha	azard to Waters

SUBSTANCE NOTES: None

HYDROGENATED TALLOW GLYCERIDES

ID: **68308-54-3**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-01

%: 0.7545	GS: LT-UNK	RC: None	NANO: No	ROLE: Profile Resin Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS	
	No hazards found			
SUBSTANCE NOTES: None				

AZARD SCREENING METHOD: P	Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE: 20	19-04-01
6: 0.1775	GS: LT-P1	RC: None	NANO: No	ROLE: Profile Resin Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NGS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Pote	ntial Endocrine	Disruptor

FATTY ACIDS, TALLO	W, HYDROGENATD, POTASSIUM SALTS		ID: 68153-66-2
HAZARD SCREENING METHOD	: Pharos Chemical and Materials Library	HAZARD SCREENING DAT	TE: 2019-04-01
%: 0.0888	GS: LT-UNK	RC: None NANO:	No ROLE: Profile Resin Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	No hazards found		

GLYCERIN				ID: 56-81-
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-04-01		
%: 0.0444	GS: LT-UNK	RC: None	NANO: No	ROLE: Profile Resin Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
	No hazards found			
SUBSTANCE NOTES: None				

(C14-C18) ALKYLCARE	BOXYLIC ACID			ID: 67701-02-4	
HAZARD SCREENING METHOD	HAZARD SCRE	HAZARD SCREENING DATE: 2019-04-01			
%: 0.0178	GS: NoGS	RC: None	NANO: No	ROLE: Profile Resin Ingredient	

SUBSTANCE NOTES: None

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: None

VITAMIN E ID: **59-02-9**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-04-01			
%: 0.0001	GS: LT-P1	RC: No	ne	nano: No	ROLE: Profile Resin Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		Disruptor	

SUBSTANCE NOTES: None

WHITE PIGMENT

%: 3.4480

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Not Considered. Contact factory

OTHER MATERIAL NOTES:

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: F	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-04-01			
%: 48.3200	gs: LT-1	RC: UNK NANO: No ROLE: Pigment Ingredient			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels			

SUBSTANCE NOTES:

POLYVINYL CHLORIDE (PVC)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-04-01			
%: 43.8600	GS: LT-P1	RC: None	nano: No	ROLE: Pigment Ingredient		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthma	Asthmagen (Rs) - sensitizer-induced			

SUBSTANCE NOTES:

CALCIUM STEARATE ID: 1592-23-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-04-01			
%: 2.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Pigment Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

VOC

04-01

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: Pawling Corporation

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: Pawling



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

No additional notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: pawling corporation

ADDRESS: 32 Nelson Hill Road

Wassaic New York 12592, United States

WEBSITE: www.pawling.com

CONTACT NAME: Ron Peck TITLE: Engineering Manager

PHONE: 8453736659

EMAIL: rpeck@pawling.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

NoGS Unknown (no data on List Translator Lists)

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.