WC-40 Wall Covering by pawling corporation

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 10 26 00

PRODUCT DESCRIPTION: Rigid vinyl wall covering provides design variations as well as impact protection for a myriad of areas.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method
- **Threshold Disclosed Per**
- C Material
- Product

Threshold level 100 ppm 1,000 ppm

C Per GHS SDS

C Other

C Per OSHA MSDS

Residuals/Impurities

Residuals/Impurities Considered in 0 of 2 Materials

Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC • Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

POLYVINYL CHLORIDE RESIN [2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH ETHYL 2-PROPENOATE LT-UNK WHITE MINERAL OIL LT-UNK PARAFFIN LT-UNK DIMETHYLTIN BIS(2-ETHY1HEXYL MERCAPTOACETATE) LT-1 | PBT | SKI | DEL | MAM | MUL HYDROGENATED TALLOW GLYCERIDES LT-UNK STEARIC ACID LT-P1 | END FATTY ACIDS, TALLOW, HYDROGENATD, POTASSIUM SALTS LT-UNK GLYCERIN LT-UNK (C14-C18) ALKYLCARBOXYLIC ACID NoGS VITAMIN E LT-P1 | END] WHITE PIGMENT [TITANIUM DIOXIDE LT-1 | CAN | END POLYVINYL CHLORIDE (PVC) LT-P1 | RES CALCIUM STEARATE LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES:

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: VOC

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes
 No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2019-04-01 PUBLISHED DATE: 2019-04-01 EXPIRY DATE: 2022-04-01 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

| POLYVINYL CHLORIDE | RESIN | %: 95.4200 |
|--------------------------------------|------------------------------------|--|
| PRODUCT THRESHOLD: 100 pp | m | RESIDUALS AND IMPURITIES CONSIDERED: NO |
| RESIDUALS AND IMPURITIES NOTI | es: Not Considered. Contact fac | ory |
| OTHER MATERIAL NOTES: | | |
| 2-PROPENOIC ACID, 2-ME PROPENOATE | ETHYL-, METHYL ESTER, POLYMER | WITH ETHYL 2- ID: 9010-88-2 |
| HAZARD SCREENING METHOD: P | aros Chemical and Materials Librar | HAZARD SCREENING DATE: 2019-04-01 |
| %: 2.4651 | GS: LT-UNK | RC: NANO: ROLE: Profile Resin None No Ingredient |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| | No hazards found | |
| SUBSTANCE NOTES: None | | |
| | | |
| WHITE MINERAL OIL | | ID: 8042-47-5 |
| HAZARD SCREENING METHOD: P | aros Chemical and Materials Librar | HAZARD SCREENING DATE: 2019-04-01 |
| %: 1.7754 | GS: LT-UNK | RC: None NANO: No ROLE: Profile Resin Ingredient |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| | No hazards found | |
| SUBSTANCE NOTES: None | | |
| | | |
| PARAFFIN | | ID: 8002-74-2 |
| HAZARD SCREENING METHOD: Pr | aros Chemical and Materials Librar | HAZARD SCREENING DATE: 2019-04-01 |
| | | |
| %: 1.4201 | GS: LT-UNK | RC: None NANO: NO ROLE: Profile Resin Ingredient |

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: None

DIMETHYLTIN BIS(2-ETHY1HEXYL MERCAPTOACETATE) HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING METHOD:

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | |
|----------------|--|---|--|
| РВТ | OSPAR - Priority PBTs & EDs & equivalent concern | PBT - Chemical for Priority Action | |
| SKIN SENSITIZE | EU - GHS (H-Statements) | H317 - May cause an allergic skin reaction | |
| DEVELOPMENTAL | EU - GHS (H-Statements) | H361d - Suspected of damaging the unborn child | |
| ORGAN TOXICANT | EU - GHS (H-Statements) | H372 - Causes damage to organs through prolonged or repeated exposure | |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters | |

SUBSTANCE NOTES: None

HYDROGENATED TALLOW GLYCERIDES ID: 68308-54-3 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-04-01 GS: LT-UNK %: **0.7545** RC: None NANO: **NO** ROLE: Profile Resin Ingredient HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No hazards found SUBSTANCE NOTES: None **STEARIC ACID** ID: 57-11-4 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-04-01 GS: LT-P1 %: **0.1775** ROLE: Profile Resin Ingredient RC: None NANO: **NO** HAZARD TYPE AGENCY AND LIST TITLES WARNINGS ENDOCRINE **TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor**

ID: 57583-35-4

ROLE: Profile Resin Ingredient

| FATTY ACIDS, TALLOV | | | | |
|---|--|-------------------------------------|--|---|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-04-01 | | |
| %: 0.0888 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Profile Resin Ingredient |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNIN | GS | |
| | No hazards found | | | |
| SUBSTANCE NOTES: None | | | | |
| | | | | - 50.014 |
| GLYCERIN | | | | ID: 56-81- 5 |
| HAZARD SCREENING METHOD | Pharos Chemical and Materials Library | HAZARD SCRE | EENING DATE: 2 | 019-04-01 |
| %: 0.0444 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Profile Resin Ingredient |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNIN | GS | |
| | No hazards found | | | |
| | | | | |
| SUBSTANCE NOTES: None | | | | |
| SUBSTANCE NOTES: None | | | | |
| | | | | |
| (C14-C18) ALKYLCARE | BOXYLIC ACID | | | ID: 67701-02-4 |
| (C14-C18) ALKYLCARE | BOXYLIC ACID Pharos Chemical and Materials Library | HAZARD SCREEN | | 9-04-01 |
| (C14-C18) ALKYLCARE | BOXYLIC ACID | HAZARD SCREEN RC: None | NING DATE: 201 NANO: NO | |
| (C14-C18) ALKYLCARE | BOXYLIC ACID Pharos Chemical and Materials Library | | NANO: NO | 9-04-01 |
| (C14-C18) ALKYLCARE HAZARD SCREENING METHOD %: 0.0178 | BOXYLIC ACID Pharos Chemical and Materials Library GS: NoGS | RC: None | NANO: NO | 9-04-01 |
| (C14-C18) ALKYLCARE HAZARD SCREENING METHOD %: 0.0178 | BOXYLIC ACID Pharos Chemical and Materials Library GS: NOGS AGENCY AND LIST TITLES No hazards found | RC: None | NANO: NO | 9-04-01 |
| (C14-C18) ALKYLCARE HAZARD SCREENING METHOD %: 0.0178 HAZARD TYPE | BOXYLIC ACID Pharos Chemical and Materials Library GS: NOGS AGENCY AND LIST TITLES No hazards found | RC: None | NANO: NO | 9-04-01 |
| (C14-C18) ALKYLCARE HAZARD SCREENING METHOD %: 0.0178 HAZARD TYPE | BOXYLIC ACID Pharos Chemical and Materials Library GS: NOGS AGENCY AND LIST TITLES No hazards found | RC: None | NANO: NO | 9-04-01 |
| (C14-C18) ALKYLCARE HAZARD SCREENING METHOD %: 0.0178 HAZARD TYPE SUBSTANCE NOTES: None | BOXYLIC ACID Pharos Chemical and Materials Library GS: NOGS AGENCY AND LIST TITLES No hazards found | RC: None | NANO: No | 9-04-01 ROLE: Profile Resin Ingredient |
| (C14-C18) ALKYLCARE HAZARD SCREENING METHOD: %: 0.0178 HAZARD TYPE SUBSTANCE NOTES: None VITAMIN E | BOXYLIC ACID Pharos Chemical and Materials Library GS: NoGS AGENCY AND LIST TITLES No hazards found | RC: None | NANO: No | 9-04-01 ROLE: Profile Resin Ingredient |
| (C14-C18) ALKYLCARE HAZARD SCREENING METHOD %: 0.0178 HAZARD TYPE SUBSTANCE NOTES: None | BOXYLIC ACID Pharos Chemical and Materials Library GS: NOGS AGENCY AND LIST TITLES No hazards found Pharos Chemical and Materials Library | RC: None WARNIN HAZARD SCREEN | NANO: NO GS NING DATE: 201 NANO: NO | 9-04-01 ROLE: Profile Resin Ingredient ID: 59-02-4 9-04-01 |

SUBSTANCE NOTES: None

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: NO

 $\label{eq:residuals} \text{ Residuals and impurities notes: } Not Considered. Contact factory$

OTHER MATERIAL NOTES:

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-04-01 | | |
|--|---------------------------------------|--|--|--|
| %: 48.3200 | GS: LT-1 | RC: UNK NANO: NO ROLE: Pigment Ingredient | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen | | |
| CANCER | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route | | |
| CANCER | IARC | Group 2B - Possibly carcinogenic to humans - inhaled fro occupational sources | | |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor | | |
| CANCER | МАК | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value | | |
| CANCER | МАК | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels | | |
| | | | | |

SUBSTANCE NOTES:

| POLYVINYL CHLORIDE | (PVC) | ID: 9002-86-2 | | |
|--------------------------|---------------------------------------|--|--|--|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2019-04-01 | | |
| %: 43.8600 | GS: LT-P1 | RC: None NANO: No ROLE: Pigment Ingredient | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| RESPIRATORY | AOEC - Asthmagens | Asthmagen (Rs) - sensitizer-induced | | |
| | | | | |

SUBSTANCE NOTES:

| CALCIUM STEARATE | | | | ID: 1592-2 |
|--------------------------|-----------------------------------|----------|-----------------|--------------------------|
| HAZARD SCREENING METHOD: | HAZARD SCREENING DATE: 2019-04-01 | | | |
| %: 2.0000 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Pigment Ingredient |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| | No hazards found | | | |
| SUBSTANCE NOTES: | | | | |

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | VOC | | |
|---|----------------------------|--------------|---------------------------|
| CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Pawling Corporation CERTIFICATE URL: | ISSUE DATE: 2019- 04-01 | EXPIRY DATE: | CERTIFIER OR LAB: Pawling |
| OF DETIFICATION AND COMPLIANCE NOTES | | | |

CERTIFICATION AND COMPLIANCE NOTES:

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available. No accessories are required for this product.

Section 5: General Notes

No additional notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: pawling corporation Address: 32 Nelson Hill Road Wassaic New York 12592, United States WEBSITE: www.pawling.com CONTACT NAME: Ron Peck TITLE: Engineering Manager PHONE: 8453736659 EMAIL: Rpeck@pawling.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

MUL Multiple hazards

OZO Ozone depletion

NEU Neurotoxicity

MAM Mammalian/systemic/organ toxicity

PBT Persistent Bioaccumulative Toxic

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)