

Johnsonite®

WALL BASE

ACCESSORIES



Perceptions®



THE ULTIMATE  
FLOORING EXPERIENCE



Coordination is key to our customers.

That is why Johnsonite offers five profiles in the Perceptions® collection, each of which coordinates with one of the most popular Millwork® profiles. It's all part of an integrated system of flooring solutions that coordinate across product lines. We call it Balanced Choice.

The Perceptions profiles, combined with their coordinating Millwork profiles, enable our customers to balance their budgetary constraints with their desire for aesthetically appealing visual designs. The Millwork profiles can be used in the front of house and common areas to give the high-end look. Then the same design aesthetic can be used throughout the remaining areas of the facility, at a cost similar to standard wall base.


In addition to the profile coordination, the Perceptions collection is available in the same colors as traditional wall base, and since there are no dye lots, the colors will coordinate with any of the Johnsonite floor coverings and accessories.



PERCEPTIONS™ | RECESS™




- A B C D




MILLWORK® | REVEAL®




- A B C D




PERCEPTIONS | ROYALE



- A B C D



MILLWORK | DIPLOMAT



- A B C D



2015 PERCEPTIONS COORDINATION CHART			
PERCEPTIONS		COORDINATING MILLWORK	
Profile	Name	Profile	Name
RWDC-xx	Recess	MW-xx-F	Reveal
RWDCT-xx	Recess Toeless	MW-xx-F	Reveal
RWDC-xx-E	Royale	MW-xx-A	Diplomat
RWDC-xx-F	Flex	MW-xx-G	Inflection
RWDC-xx-G	Contour	MW-xx-J	Silhouette

**Color Palette Availability**


- A = Color palette A
- B = Color palette B
- C = Color palette C
- D = Color palette D

PERCEPTIONS | CONTOUR



- A
- B
- C
- D

MILLWORK | SILHOUETTE





- A
- B
- C
- D

PERCEPTIONS | FLEX



- A
- B
- C
- D

MILLWORK | INFLECTION



- A
- B
- C
- D

TECHNICAL DATA		WALL BASE
Type of Wall Covering	ASTM F 1861	Perceptions Wall Base
Classification	ASTM F 1861	Type TP, Group 1 (Solid), Styles A & B
Staining of Adjacent Surfaces	ASTM F 1861	No staining
Flexibility	ASTM F 137	Pass ¼" mandrel
Chemical Resistance	ASTM F 925	Good
Resistance to Light by Color Change	ASTM F 1515	$\Delta\Sigma \leq 8.0$
Flame Spread/Smoke Density	ASTM E 84	Class A, < 450

Please visit [tarkettna.com](http://tarkettna.com) for the most updated specifications, and installation, cleaning and maintenance instructions.

**HOW TO ORDER:**

Product Code with Color Number – Color Name – Height – Length – Gauge (Example: RWDC – 40 – E Black– 4 ¼" x 120' – ⅛" )

